


COMPLETE PRODUCT SPECIFICATIONS & DIMENSIONS


IP55

CVS MODULAR SYSTEM


HEIGHT OF ENCLOSURE - 2000MM
WIDTH OF ENCLOSURE - 600/800MM




SECTIONAL SIDE VIEW




FRONT VIEW



MOUNTING PLATE



SECTIONAL TOP VIEW



TOP VIEW


PART NAME	MATERIAL	FINISHING
FRAME	2.0mm MS	} RAL7032(EPOXY POWDER COATED)
DOOR	2.0mm MS	
REAR SIDE AND ROOF PANEL	1.5mm MS	
GLAND PLATE	1.5mm MS	
MOUNTING PLATE	3.0mm GI	ORIGINAL
LOCK C/W KEY (EMKA GERMANY)	POLYAMIDE	BLACK
PLINTH	2.0/3.0mm MS	RAL5004(BLACK)

MODEL	HEIGHT(HT.)	WIDTH(W)	DEPTH(DP)
MS206/50	2000	600	500
MS206/60	2000	600	600
MS208/50	2000	800	500
MS208/60	2000	800	600
MS208/80	2000	800	800

IP55

CVS MODULAR SYSTEM


HEIGHT OF ENCLOSURE - 2000MM
WIDTH OF ENCLOSURE - 1000MM




SECTIONAL SIDE VIEW

FRONT VIEW

MOUNTING PLATE



SECTIONAL TOP VIEW



TOP VIEW

PART NAME	MATERIAL	FINISHING
FRAME	2.0MM MS	} RAL 7032 (POLYESTER POWDER COATED)
DOOR	2.0MM MS	
REAR, SIDE AND ROOF PANEL	1.5MM MS	
GLAND PLATE	1.5MM MS	
MOUNTING PLATE	3.0MM GI	ORIGINAL
LOCK C/W KEY (EMKA GERMANY)	POLYAMIDE	BLACK
PLINTH	2.0/3.0MM MS	RAL 5004 (BLACK)


MODEL	HEIGHT(HT.)	WIDTH(W)	DEPTH(DP)
MS2010/50	2000	1000	500
MS2010/60	2000	1000	600
MS2010/80	2000	1000	800

COMPLETE PRODUCT SPECIFICATIONS & DIMENSIONS

IP55

CVS MODULAR SYSTEM


HEIGHT OF ENCLOSURE - 2000MM
WIDTH OF ENCLOSURE - 1200MM




SECTIONAL SIDE VIEW

FRONT VIEW

MOUNTING PLATE



SECTIONAL TOP VIEW



TOP VIEW

PART NAME	MATERIAL	FINISH
FRAME	2.0MM MS	} RAL7032 POLYESTER POWDER COATED
DOOR	2.0MM MS	
REAR, SIDE AND ROOF PANEL	1.5MM MS	
GLAND PLATE	1.5MM MS	
MOUNTING PLATE	3.0MM GI	ORIGINAL
LOCK C/W KEY (EMKA GERMANY)	POLYAMIDE	BLACK
PLINTH	2.0/3.0MM MS	RAL5004 (BLACK)

MODEL	HEIGHT(HT.)	WIDTH(W)	DEPTH(DP)
MS2012/50	2000	1200	500
MS2012/60	2000	1200	600
MS2012/80	2000	1200	800