

CVS METAL INDUSTRIES SDN BHD


IP55

SPECIFICATIONS & DIMENSIONS


CVS-S25
Rev : 2

FLOOR STANDING INDUSTRIAL ENCLOSURE


CM 800W




FRONT VIEW



SIDE VIEW



MOUNTING PLATE



SECTIONAL BOTTOM VIEW
'A-A'

CM MODEL DESCRIPTION		
PART NAME	MATERIAL	FINISHING
BODY / DOOR	2.0MM E.G	POLYESTER POWDER COATING-RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	GALVANIZED
DOOR RAIL	2.0MM E.G	RAINBOW PLATED
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

ENCLOSURE MODEL	DIMENSIONS				GLAND TYPE	WEIGHT C/W M.PLATE (KG)
	H	W	D	L		
CM 148/40	1400	800	400	-	E1	106
CM 168/40	1600	800	400	650	E1	120
CM 188/40	1800	800	400	750	E1	134
CM 208/40	2000	800	400	850	E1	148

NOTE: ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

CVS METAL INDUSTRIES SDN BHD



IP55

SPECIFICATIONS & DIMENSIONS

CVS-S26
Rev : 2

FLOOR STANDING INDUSTRIAL ENCLOSURE

CM 1000W



CM MODEL DESCRIPTION

PART NAME	MATERIAL	FINISHING
BODY / DOOR	2.0MM E.G	POLYESTER POWDER COATING-RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	GALVANIZED
DOOR RAIL	2.0MM E.G	RAINBOW PLATED
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

ENCLOSURE MODEL	DIMENSIONS				GLAND TYPE	WEIGHT C/W M.PLATE (KG)
	H	W	D	L		
CM 1410/40	1400	1000	400	-	F1	129
CM 1610/40	1600	1000	400	650	F1	145
CM 1810/40	1800	1000	400	750	F1	162
CM 2010/40	2000	1000	400	850	F1	179

NOTE: ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

CVS METAL INDUSTRIES SDN BHD



IP55

SPECIFICATIONS & DIMENSIONS

CVS-S27
Rev : 2

FLOOR STANDING INDUSTRIAL ENCLOSURE

CM 1200W



SECTIONAL BOTTOM VIEW
'A-A'

CM MODEL DESCRIPTION		
PART NAME	MATERIAL	FINISHING
BODY / DOOR	2.0MM E.G	POLYESTER POWDER COATING-RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	GALVANIZED
DOOR RAIL	2.0MM E.G	RAINBOW PLATED
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

ENCLOSURE MODEL	DIMENSIONS				GLAND TYPE	WEIGHT C/W M.PLATE (KG)
	H	W	D	L		
CM 1612/40	1600	1200	400	650	D2	170
CM 1812/40	1800	1200	400	750	D2	190
CM 2012/40	2000	1200	400	850	D2	209

NOTE: ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED